



M5
cables & connectors
Page 01~17




Page 04

Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Straight



Page 05

Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Straight



Page 06

Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Straight



Page 07

Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Straight



Page 08

Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Page 09

Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Page 10

Gender: Male
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Page 11

Gender: Female
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Page 12

Gender: Male
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Page 13

Gender: Female
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Page 14

Gender: Male
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Page 15

Gender: Female
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Page 16

Gender: Male
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Page 17

Gender: Female
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened

M8
cables & connectors
Page 19~62



Page 23

Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Page 24

Gender: Female
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Page 25

Gender: Female
Coding: A, B
Locking type: Plastic fix screw
Mounting type: Straight




Page 26

Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Page 27

Gender: Female
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Page 28

Gender: Male
Coding: A
Locking type: Snap-in
Mounting type: Straight



Page 29

Gender: Female
Coding: A
Locking type: Snap-in
Mounting type: Straight



Page 30

Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Right angled



Page 31

Gender: Female
Coding: A, B
Locking type: Fix screw
Mounting type: Right angled




Gender: Female
Coding: A, B
Locking type: Plastic fix screw
Mounting type: Right angled



Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Right angled



Gender: Female
Coding: A, B
Locking type: Fix screw
Mounting type: Right angled



Gender: Male
Coding: A
Locking type: Snap-in
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Snap-in
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Gender: Male
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Straight



Gender: Female
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Male
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Female
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Male
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Female
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A
Locking type: Snap-in (Solder)
Mounting type: Front fastened



Gender: Male
Coding: A
Locking type: Snap-in (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A
Locking type: Snap-in (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A, B
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A
Locking type: Snap-in (PCB)
Mounting type: Front fastened



Gender: Male to Female
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Front fastened



Gender: Female
Coding: A, B
Locking type: Fix screw
Mounting type: Front fastened



Gender: Male & Female
Coding: A, B
Locking type: Fix screw
Mounting type: Y-Splitter



Gender: Male & Female
Coding: A, B
Locking type: Fix screw
Mounting type: Right angled



Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Straight




Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:




Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:




Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:




Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Straight




Gender: Male
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Female
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Female
Coding: A
Locking type: Fix screw (Solder)
Mounting type: Rear fastened




Gender: Male
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened




Gender: Female
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:



Gender: Male
Coding: A
Locking type: Snap-in
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Snap-in
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Snap-in(Solder)
Mounting type: Rear fastened



Gender: Female
Coding: A
Locking type: Snap-in(Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A
Locking type: Snap-in (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: A
Locking type: Snap-in (PCB)
Mounting type: Rear fastened



Gender: Male & Female
Coding: A
Locking type: Snap-in
Mounting type: T-type



Gender: for Female
Coding: A
Locking type: Snap-in
Mounting type:



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Straight



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Straight



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Right angled



Gender: Male
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Right angled



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Right angled



Gender: Female
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Right angled



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Right angled



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Right angled



Gender: Male (Micro-change)
Coding: C
Locking type: Fix screw
Mounting type: Straight



Gender: Female (Micro-change)
Coding: C
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Right angled



Gender: Female

Coding: A, B, C, D

Locking type: Fix screw

Mounting type: Right angled



Gender: Male

Coding: S

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: S

Locking type: Plastic fix screw

Mounting type: Straight



Gender: Female

Coding: S

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: S

Locking type: Plastic fix screw

Mounting type: Straight



Gender: Male

Coding: S

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: S

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: S

Locking type: Fix screw

Mounting type: Right angled



Gender: Female

Coding: S

Locking type: Fix screw

Mounting type: Right angled



Gender: Male

Coding: S

Locking type: Fix screw

Mounting type: Right angled



Gender: Female

Coding: S

Locking type: Fix screw

Mounting type: Right angled



Gender: Male

Coding: T

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: T

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: T

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: T

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: X

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: X

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: X

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: X

Locking type: Fix screw

Mounting type: Right angled



Gender: Female

Coding: X

Locking type: Fix screw

Mounting type: Right angled



Gender: Male

Coding: K

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: K

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: L

Locking type: Fix screw

Mounting type: Straight



Gender: Female

Coding: L

Locking type: Fix screw

Mounting type: Straight



Gender: Male

Coding: Y1

Locking type: Fix screw

Mounting type: Straight



Page 141

Gender: Male
Coding: Y2
Locking type: Fix screw
Mounting type: Straight



Page 142

Gender: Male
Coding: Y3
Locking type: Fix screw
Mounting type: Straight



Page 143

Gender: Male
Coding: Y4
Locking type: Fix screw
Mounting type: Straight



Page 144

Gender: Male
Coding: A, B, D
Locking type: Snap-in
Mounting type: Straight



Page 145

Gender: Female
Coding: A, B, D
Locking type: Snap-in
Mounting type: Straight



Page 146

Gender: Male
Coding: A
Locking type: Quick-lock
Mounting type: Straight



Page 147

Gender: Female
Coding: A
Locking type: Quick-lock
Mounting type: Straight



Page 148

Gender: Female
Coding: A
Locking type: Quick-lock
Mounting type: Straight



Page 149

Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Straight



Page 150

Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Straight



Page 151

Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Right angled



Page 152

Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Right angled



Page 153

Gender: Male
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 154

Gender: Female
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 155

Gender: Male
Coding: A, B, D
Locking type: Fix screw (Crimp)
Mounting type: Straight



Page 156

Gender: Female
Coding: A, B, D
Locking type: Fix screw (Crimp)
Mounting type: Straight



Page 157

Gender: Male
Coding: X
Locking type: Fix screw (Piercing)
Mounting type: Straight



Page 158

Gender: Male
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Page 159

Gender: Female
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Page 160

Gender: Male
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 161

Gender: Male
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 162

Gender: Female
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 163

Gender: Female
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 164

Gender: Male
Coding: S
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Page 165

Gender: Female
Coding: S
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Male
Coding: T
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Female
Coding: T
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Male
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Male
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: Right angled



Gender: Female
Coding: A, B, D
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Female
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: Right angled



Gender: Male
Coding: S
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Female
Coding: S
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Male
Coding: T
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Female
Coding: T
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Male
Coding: A
Locking type: Quick-lock (Solder)
Mounting type: Plastic mounting



Gender: Female
Coding: A
Locking type: Quick-lock (Solder)
Mounting type: Plastic mounting



Gender: Female
Coding: A
Locking type: Quick-lock (Solder)
Mounting type: Plastic mounting



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Male
Coding: A
Locking type: Plastic fix screw
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A
Locking type: Plastic fix screw (Solder)
Mounting type: Rear fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Flange



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (Solder)
Mounting type: Flange



Gender: Male
Coding: S
Locking type: Fix screw (Crimp)
Mounting type: Front fastened



Gender: Female
Coding: S
Locking type: Fix screw (Crimp)
Mounting type: Front fastened



Gender: Male
Coding: T
Locking type: Fix screw (Crimp)
Mounting type: Front fastened



Gender: Female
Coding: T
Locking type: Fix screw (Crimp)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Plastic fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Plastic fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A
Locking type: Plastic fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw (PCB)
Mounting type: Right angled



Gender: Female
Coding: A, B, D
Locking type: Fix screw (PCB)
Mounting type: Right angled



Gender: Female
Coding: X
Locking type: Fix screw (PCB)
Mounting type: Right angled



Gender: Female
Coding: D
Locking type: Fix screw (PCB)
Mounting type: Right angled



Gender: Female
Coding: D
Locking type: Fix screw (PCB)
Mounting type: Right angled



Gender: Male
Coding: X
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: X
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: X
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: X
Locking type: Snap-in (PCB)
Mounting type: Straight



Gender: Male
Coding: K
Locking type: Fix screw(Solder&Crimp)
Mounting type: Front fastened



Gender: Female
Coding: K
Locking type: Fix screw(Solder&Crimp)
Mounting type: Front fastened



Gender: Male
Coding: K
Locking type: Fix screw(Solder&Crimp)
Mounting type: Rear fastened



Gender: Female
Coding: K
Locking type: Fix screw(Solder&Crimp)
Mounting type: Rear fastened



Gender: Male
Coding: K
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: K
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: K
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: K
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Male
Coding: L
Locking type: Fix screw(Solder&Crimp)
Mounting type: Front fastened



Gender: Female
Coding: L
Locking type: Fix screw(Solder&Crimp)
Mounting type: Front fastened



Gender: Male
Coding: L
Locking type: Fix screw(Solder&Crimp)
Mounting type: Rear fastened



Gender: Female
Coding: L
Locking type: Fix screw(Solder&Crimp)
Mounting type: Rear fastened



Gender: Male
Coding: L
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Female
Coding: L
Locking type: Fix screw (PCB)
Mounting type: Front fastened



Gender: Male
Coding: L
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: L
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: Y1
Locking type: Fix screw (PCB)
Mounting type: Front fastened

 Page 241 Gender: Female Coding: Y2 Locking type: Fix screw (PCB) Mounting type: Front fastened	 Page 242 Gender: Female Coding: Y3 Locking type: Fix screw (PCB) Mounting type: Front fastened	 Page 243 Gender: Female Coding: Y4 Locking type: Fix screw (PCB) Mounting type: Front fastened	 Page 244 Gender: Female Coding: X Locking type: Fix screw (Crimp) Mounting type: Front fastened	 Page 245 Gender: Male Coding: A Locking type: Quick-lock (Solder) Mounting type: Front fastened
 Page 246 Gender: Female Coding: A Locking type: Quick-lock (Solder) Mounting type: Front fastened	 Page 247 Gender: Male Coding: A Locking type: Quick-lock (PCB) Mounting type: Front fastened	 Page 248 Gender: Female Coding: A Locking type: Quick-lock (PCB) Mounting type: Front fastened	 Page 249 Gender: Male Coding: A, B, D Locking type: Snap-in (Solder) Mounting type: Straight	 Page 250 Gender: Male Coding: A, B, D Locking type: Snap-in (PCB) Mounting type: Straight
 Page 251 Gender: Male & Female Coding: A Locking type: Fix screw Mounting type: Straight	 Page 252 Gender: Male & Female Coding: A Locking type: Fix screw Mounting type: Straight	 Page 253 Gender: Male & Female Coding: A Locking type: Fix screw Mounting type: Straight	 Page 254 Gender: Female Coding: X Locking type: Fix screw Mounting type: Straight	 Page 255 Gender: Male & Female Coding: A, B, D Locking type: Fix screw Mounting type: I-Adapter
 Page 256 Gender: Male & Female Coding: A, B, D Locking type: Plastic fix screw Mounting type: I-Adapter	 Page 257 Gender: Male Coding: A, B, D Locking type: Fix screw Mounting type: I-Adapter	 Page 258 Gender: Male & Female Coding: A, B, D Locking type: Fix screw Mounting type: L-Adapter	 Page 259 Gender: Male & Female Coding: A, B, D Locking type: Plastic fix screw Mounting type: L-Adapter	 Page 260 Gender: Male & Female Coding: A, B, D Locking type: Fix screw Mounting type: Y-Splitter
 Page 261 Gender: Male & Female Coding: A, B, D Locking type: Fix screw Mounting type: Y-Splitter	 Page 262 Gender: Male & Female Coding: A, B, D Locking type: Fix screw Mounting type: T-Splitter	 Page 263 Gender: Male & Female Coding: A, B, D Locking type: Plastic fix screw Mounting type: T-Splitter	 Page 264 Gender: Male & Female Coding: A, B, D Locking type: Fix screw Mounting type: T-Splitter	 Page 265 Gender: Male Coding: A, B, D Locking type: Fix screw Mounting type: T-Splitter



Gender: Male
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: T-Splitter



Gender: Female
Coding: A, B, D
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Female
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A, B, D
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A, B, D
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A, B, D
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A, B, D
Locking type: Plastic fix screw
Mounting type: T-Splitter



Gender: Male
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Straight



Gender: Female
Coding: A, B, C, D
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A, B, C, D
Locking type: Plastic fix screw
Mounting type: Straight



Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:




Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:




Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:




Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:




Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Right angled

 Page 297 Gender: Male Coding: A Locking type: Fix screw (Solder) Mounting type: Straight	 Page 298 Gender: Female Coding: A Locking type: Fix screw (Solder) Mounting type: Straight	 Page 299 Gender: Male Coding: A Locking type: Fix screw (Solder) Mounting type: Front fastened	 Page 300 Gender: Female Coding: A Locking type: Fix screw (Solder) Mounting type: Front fastened	 Page 301 Gender: Male Coding: A Locking type: Fix screw (Solder) Mounting type: Rear fastened
 Page 302 Gender: Female Coding: A Locking type: Fix screw (Solder) Mounting type: Rear fastened	 Page 303 Gender: Male Coding: A Locking type: Quick-lock (Solder) Mounting type: Straight	 Page 304 Gender: Female Coding: A Locking type: Quick-lock (Solder) Mounting type: Straight	 Page 305 Gender: Female Coding: A Locking type: Quick-lock (Solder) Mounting type: Straight	 Page 306 Gender: Male Coding: A Locking type: Quick-lock (Solder) Mounting type: Straight
 Page 307 Gender: Male Coding: A Locking type: Quick-lock (Solder) Mounting type: Plastic mounting	 Page 308 Gender: Female Coding: A Locking type: Quick-lock (Solder) Mounting type: Plastic mounting	 Page 309 Gender: Male Coding: A Locking type: Quick-lock (Solder) Mounting type: Front fastened	 Page 310 Gender: Female Coding: A Locking type: Quick-lock (Solder) Mounting type: Front fastened	 Page 311 Gender: Male Coding: A Locking type: Quick-lock (PCB) Mounting type: Front fastened
 Page 312 Gender: Female Coding: A Locking type: Quick-lock (PCB) Mounting type: Front fastened	 Page 313 Gender: for Male Coding: Locking type: Fix screw Mounting type:	 Page 313 Gender: for Female Coding: Locking type: Fix screw Mounting type:	 Page 314 Gender: for Male & Female Coding: Locking type: Fix screw Mounting type:	 Page 314 Gender: with Male & Female Coding: Locking type: Mounting type:
M20 cables & connectors  Page 315~324	 Page 318 Gender: Male Coding: 3+5 Locking type: Fix screw Mounting type: Straight	 Page 319 Gender: Female Coding: 3+5 Locking type: Fix screw Mounting type: Straight	 Page 320 Gender: Male Coding: 3+5 Locking type: Fix screw Mounting type: Straight	 Page 321 Gender: Female Coding: 3+5 Locking type: Fix screw Mounting type: Straight



Gender: Male
Coding: 3+5
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Female
Coding: 3+5
Locking type: Fix screw (Solder)
Mounting type: Rear fastened



Gender: Male & Female
Coding: 3+5
Locking type: Fix screw (Solder)
Mounting type: U-Adapter



Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Right angled



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Right angled



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Straight



Gender: Male
Coding: A
Locking type: Fix screw (Crimp)
Mounting type: Front fastened



Gender: Female
Coding: A
Locking type: Fix screw (Crimp)
Mounting type: Front fastened



Gender: Male
Coding: A
Locking type: Fix screw (Crimp)
Mounting type: Rear fastened



Gender: Male
Coding: A
Locking type: Fix screw (Crimp)
Mounting type: Rear fastened



Gender: Female
Coding: A
Locking type: Fix screw (Crimp)
Mounting type: Rear fastened



Gender: Female
Coding: A
Locking type: Fix screw (Crimp)
Mounting type: Rear fastened



Gender: Male
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Female
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Rear fastened



Gender: Male & Female
Coding: A
Locking type: Fix screw (PCB)
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: I-Adapter



Gender: Male & Female
Coding: A
Locking type: Fix screw
Mounting type: Y-Splitter



Gender: Male & Female
Coding: A
Locking type: Fix screw
Mounting type: Y-Splitter



Gender: Male & Female
Coding: A
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Male & Female
Coding: A
Locking type: Fix screw
Mounting type: T-Splitter



Gender: Male
Coding: A
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A
Locking type: Fix screw
Mounting type: Straight




Gender: for Male
Coding:
Locking type: Fix screw
Mounting type:



Gender: for Female
Coding:
Locking type: Fix screw
Mounting type:



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Straight




Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Straight




Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Right angled



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Front mount



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Front mount



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Rear mount



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Rear mount



Gender: Pin
Series: Signal
Locking type: Fix screw
Mounting type: Rear mount



Gender: Socket
Series: Signal
Locking type: Fix screw
Mounting type: Rear mount



Gender: Pin
Series: Signal
Locking type: Fix screw (PCB)
Mounting type: Front mount



Gender: Socket
Series: Signal
Locking type: Fix screw (PCB)
Mounting type: Front mount



Gender: Pin
Series: Signal
Locking type: Fix screw (PCB)
Mounting type: Front mount



Gender: Socket
Series: Signal
Locking type: Fix screw (PCB)
Mounting type: Front mount



Gender: Pin
Series: Signal
Locking type: Fix screw (Solder)
Mounting type: Front mount



Gender: Socket
Series: Signal
Locking type: Fix screw (Solder)
Mounting type: Front mount



Gender: Pin
Series: Signal
Locking type: Fix screw (Crimp)
Mounting type: Front mount



Gender: Socket
Series: Signal
Locking type: Fix screw (Crimp)
Mounting type: Front mount



Gender: Pin
Series: Power
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Power
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Power
Locking type: Fix screw
Mounting type: Right angled



Gender: Socket
Series: Power
Locking type: Fix screw
Mounting type: Right angled



Gender: Pin
Series: Power
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Power
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Power
Locking type: Fix screw
Mounting type: Straight



Gender: Socket
Series: Power
Locking type: Fix screw
Mounting type: Straight



Gender: Pin
Series: Power
Locking type: Fix screw
Mounting type: Right angled



Gender: Socket
Series: Power
Locking type: Fix screw
Mounting type: Right angled



Gender: for Male
Series: Signal/ Power
Locking type: Fix screw
Mounting type: Straight



Gender: for Female
Series: Signal/ Power
Locking type: Fix screw
Mounting type: Straight



Gender: with Female
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: with Male
Series: Signal
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Gender: Female
Coding: A, B
Locking type: Fix screw
Mounting type: Straight



Gender: Male
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Straight



Gender: Female
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Straight



Gender: Male
Coding: A, B
Locking type: Fix screw (Solder)
Mounting type: Front fastened



Gender: Male
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Front fastened



Gender: Female
Coding: A
Locking type: Fix screw (Screw joint)
Mounting type: Front fastened

Solenoid valve connectors



Page 431~445



Connector series: Valve plug
Gender: Female
Construction type: A
Locking system: Central screw



Connector series: Valve plug
Gender: Female
Construction type: B
Locking system: Central screw



Connector series: Valve plug
Gender: Female
Construction type: C
Locking system: Central screw



Connector series: Valve plug
Gender: Female
Construction type: A
Locking system: Central screw



Connector series: Valve plug
Gender: Female
Construction type: A
Locking system: Central screw



Connector series: Valve plug
Gender: Female
Construction type: B
Locking system: Central screw



Connector series: Valve plug
Gender: Female
Construction type: C
Locking system: Central screw



Connector series: Valve plug
Gender: Male
Construction type: A
Locking system: Central nut



Connector series: Valve plug
Gender: Male
Construction type: A
Locking system: Central nut



Connector series: Valve plug
Gender: Male
Construction type: A
Locking system: Central nut



Connector series: Valve plug
Gender: Male
Construction type: B
Locking system: Central nut




Connector series: Valve plug
Gender: Male
Construction type: C
Locking system: Central nut

Industrial I/O connectors




Page 447~485




Connector series: Mini-Din
Gender: Male
Locking type: Fix screw
Mounting type: Straight



Connector series: Mini-Din
Gender: Female
Locking type: Fix screw
Mounting type: Straight



Connector series: Mini-Din
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: USB 2.0
Gender: Male
Locking type: Fix screw
Mounting type: Straight



Connector series: USB 3.0
Gender: Male
Locking type: Fix screw
Mounting type: Straight




Connector series: USB 2.0
Gender: Male
Locking type: Fix screw
Mounting type: Straight




Connector series: USB 3.0
Gender: Male
Locking type: Fix screw
Mounting type: Straight



Connector series: USB 2.0
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: USB 3.0
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: USB 2.0
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: USB 3.0
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: Micro-USB
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: Mini-USB
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: RJ45
Gender: Male
Locking type: Fix screw
Mounting type: Straight



Connector series: RJ45
Gender: Male
Locking type: Fix screw
Mounting type: Straight



Connector series: RJ45
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: M12-RJ45 Adapter
Gender: Male
Coding: D
Mounting type: Front mounting



Connector series: M12-RJ45 Adapter
Gender: Female
Coding: D
Mounting type: Front mounting



Connector series: M12-RJ45 Adapter
Gender: Male
Coding: D
Mounting type: Straight



Connector series: M12-RJ45 Adapter
Gender: Male
Coding: D
Mounting type: Right angled



Connector series: M12-RJ45 Adapter
Gender: Male
Coding: D
Mounting type: Right angled



Connector series: M12-RJ45 Adapter
Gender: Female
Coding: D
Mounting type: Right angled



Connector series: M12-RJ45 Adapter
Gender: Female
Coding: X
Mounting type: Front mounting




Connector series: USB/RJ45
Gender: for Female
Locking type: Fix screw



Mini-USB / Micor-USB / Mini-Din
Gender: for Female
Locking type: Fix screw




Connector series: UHF
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: D-Sub
Gender: Male
Locking type: Fix screw
Mounting type: Front fastened



Connector series: D-Sub
Gender: Male
Locking type: Fix screw
Mounting type: Front fastened




Connector series: D-Sub
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened




Connector series: D-Sub
Gender: Male
Locking type: Fix screw
Mounting type: Front fastened




Connector series: D-Sub
Gender: Male
Locking type: Fix screw
Mounting type: Front fastened



Connector series: D-Sub
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: D-Sub
Gender: Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: D-Sub
Gender: Male
Locking type: Fix screw
Mounting type: Front fastened



Connector series: D-Sub
Gender: Male/Female
Locking type: Fix screw
Mounting type: Front fastened



Connector series: Micro D-Sub
Gender: Female
Locking type: Fix screw
Mounting type: Straight



Gonnector series: Micro D-Sub
Gender: Female
Locking type: Fix screw
Mounting type: Right angled



Gonnector series: Optical fiber
Gender: Jack
Mating style: 3 Points lock bayonet
Mounting type: Rear fastened



Gonnector series: Optical fiber
Gender: Jack
Mating style: 3 Points lock bayonet
Mounting type: Rear fastened



Gender: Plug
Coding: Break way
Locking type: Quick-lock
Mounting type: Straight



Gender: Receptacle
Coding: Break way
Locking type: Quick-lock
Mounting type: Straight



Gender: Plug
Coding: Break way
Locking type: Quick-lock
Mounting type: Panle



Input: Molded cable
Termination: M5 (8 Ports)
Coding: A
Locking type: Fix screw



Input: M12 connector
Termination: M5 (8 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M5 (6 Ports)
Coding: A
Locking type: Fix screw



Input: M12 connector
Termination: M5 (6 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M5 (4 Ports)
Coding: A
Locking type: Fix screw



Input: M12 connector
Termination: M5 (4 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M8 (8 Ports)
Coding: A
Locking type: Fix screw



Input: M12 connector
Termination: M8 (8 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M8 (6 Ports)
Coding: A
Locking type: Fix screw



Input: M12 connector
Termination: M8 (6 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M8 (4 Ports)
Coding: A
Locking type: Fix screw



Input: M12 connector
Termination: M8 (4 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M12 (8 Ports)
Coding: A
Locking type: Fix screw



Input: M23 connector
Termination: M12 (8 Ports)
Coding: A
Locking type: Fix screw



Input: Mini-Change 7/8" connector
Termination: M12 (8 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M12 (6 Ports)
Coding: A
Locking type: Fix screw



Input: M23 connector
Termination: M12 (6 Ports)
Coding: A
Locking type: Fix screw



Input: Molded cable
Termination: M12 (4 Ports)
Coding: A
Locking type: Fix screw



Input: M23 connector
Termination: M12 (4 Ports)
Coding: A
Locking type: Fix screw



BUS Cables

Plenum Cables

Drag Chain Cables

Data Cables



CAN-BUS cables
Connector: M12 male
Contact No.: 5 Pins
Coding: A



CAN-BUS cables
Connector: M12 female
Contact No.: 5 Pins
Coding: A



CAN-BUS cables
Connector: M12 male & female
Contact No.: 5 Pins
Coding: A



Profibus cables
Connector: M12 male
Contact No.: 5 Pins
Coding: B



Profibus cables
Connector: M12 female
Contact No.: 5 Pins
Coding: B



Profibus cables
Connector: M12 male & female
Contact No.: 5 Pins
Coding: B



DeviceNet cables
Connector: M12 male
Contact No.: 5 Pins
Coding: A



DeviceNet cables
Connector: M12 female
Contact No.: 5 Pins
Coding: A



DeviceNet cables
Connector: M12 male & female
Contact No.: 5 Pins
Coding: A



DeviceNet cables
Connector: Mini-change(7/8") male
Contact No.: 5 Pins
Coding: A



DeviceNet cables
Connector: Mini-change(7/8") female
Contact No.: 5 Pins
Coding: A



DeviceNet cables
Connector: 7/8" male & female
Contact No.: 5 Pins
Coding: A



Industrial EtherNet Cables
Connector: M12 male; RJ45
Contact No.: 8 Pins
Coding: M12 X



Industrial EtherNet Cables
Connector: M12 female; RJ45
Contact No.: 8 Pins
Coding: M12 X



Industrial EtherNet Cables
Connector: M12 male; RJ45
Contact No.: 4 Pins
Coding: M12 D



Industrial EtherNet Cables
Connector: M12 Female; RJ45
Contact No.: 4 Pins
Coding: M12 D



Plenum Cables
Connector: M8 Male
Contact No.: 5 Pins
Coding: B



Plenum Cables
Connector: M8 Female
Contact No.: 5 Pins
Coding: B



Plenum Cables
Connector: M8 male & female
Contact No.: 5 Pins
Coding: B



Plenum Cables
Connector: M12 Male
Contact No.: 5 Pins
Coding: A



Plenum Cables
Connector: M12 Female
Contact No.: 5 Pins
Coding: A



Plenum Cables
Connector: M12 male & female
Contact No.: 5 Pins
Coding: A



Plenum Cables
Connector: Mini-change(7/8") male
Contact No.: 5 Pins
Coding: A



Plenum Cables
Connector: Mini-change(7/8") female
Contact No.: 5 Pins
Coding: A



Plenum Cables
Connector: 7/8" male & female
Contact No.: 5 Pins
Coding: A